# Chord Electronincs
# Prislista 2010-02-25
## Denna Prislista ersätter alla tidigare prislistor

digitalbild & ljud

CHORD

## Chord Electronics - RIAA-steg

| | | | | Rek pris Inkl moms |
|---|---|---|---|---|
| Symphonic | Choral Series Phono Stage. Moving coil 40 dBv to 80 dBv internal illuminated indication of impedance. Gain input selection and filter options externally selectable. SE RCA and balanced XLR's for both inputs and outputs. | Standard | Black | 32 500,00 kr st |
| | | Standard | Silver | 32 500,00 kr st |
| | | Jet | Black | 37 500,00 kr st |
| | | Billiant | Silver | 37 500,00 kr st |

## Chord Electronics - CD-spelare

| | | | | Rek pris Inkl moms |
|---|---|---|---|---|
| ONE | Choral Series CD-player. One pair XLR balanced analogue outputs, one pair RCA analogue outputs 1x S/DIF2 BNC digital output. 24-bit 192kHz digital-analogue conversion. Fully buffered dedicated analogue output stage. Professional quality die-cast CD mechanism. | Standard | Black | 47 500,00 kr st |
| | | Standard | Silver | 47 500,00 kr st |
| | | Jet | Black | 55 000,00 kr st |
| | | Billiant | Silver | 55 000,00 kr st |
| RED Standard MkII *NEW!* | Reference Series CD-player. CD player with 64-Bit digital to analogue conversion technology using proprietary Chord WTA filters. Optical and AES digital inputs and RAM buffer technology. Dual display with CD and D to A conversion status. CD mechanism accessed via servo controlled interlock door. | | Integra | 115 000,00 kr st |
| | | Nikel | Integra | 120 000,00 kr st |
| RED Reference MkII *NEW!* | Reference Series CD-player. With 80-bit upsampling, 4096-tap Chord WTA filter and 64-bit D/A converter technology. Optical, BNC and dual AES digital outputs, plus optical and AES digital inputs. Frequency selection for 44.1, 88.2 and 176.4 KHz and RAMbuffer technology. Wordclock input. Dual display with CD and D/A conversion status. CD mechanism accessed via servo controlled interlock door. | | Integra | 180 000,00 kr st |
| | | Nikel | Integra | 182 500,00 kr st |

## Chord Electronics - CD Transport

| | | | | Rek pris Inkl moms |
|---|---|---|---|---|
| BLU | Choral Series CD transport. 176.4kHz Dual Data twin BNC Output. 2x AES/EBU XLR Digital Outputs or one 176.4kHz Dual Data XLR output.1x S/DIF2 BNC Output. 1x TOSLINK Digital Output. BNC wordclock input. Proprietary re-timing circuitry and user-selectable dither algorithm. 4096-tap Chord WTA filter for all digital outputs at all sampling frequencies using leading-edge 200MHz FPGA-BGA devices. | Standard | Black | 70 000,00 kr st |
| | | Standard | Silver | 70 000,00 kr st |
| | | Jet | Black | 75 000,00 kr st |
| | | Billiant | Silver | 75 000,00 kr st |

## Chord Electronics - D/A-omvandlare

| | | | | Rek pris Inkl moms |
|---|---|---|---|---|
| Chordette GEM APT-X *NEW!* | USB and Bluetooth D/A Converter. 1 B-type USB input and 1 pair of line level phono outputs. Selector switch for Bluetooth or USB operation. The Chordette GEM, A2DP Bluetooth unit has now been enhanced with APT-X encryption. APT-X is an enhancement over A2DP and gives significantly improved sonic performance Silver och Svart är lagervara. Röd, Blå, Grön, Gul och Violett är beställningsvara. | Standard | Black | 6 000,00 kr st |
| | | Standard | Silver | 6 000,00 kr st |
| QBD76 | Choral Series D/A Converter. 76 Bit conversion using proprietary Pulse Array DAC technology with Chord 4096 tap WTA filtering. Bluetooth receiver with integrated digital A2DP conversion allows music transfer and playback from phone, pda or personal computer. 2x S/PDIF2 BNC, 2x AES XLR, 2x TOSLINK, 1x USB digital audio input. Display with push button control for input, RAM Buffer and output phase selection. One pair of XLR balanced and one pair of RCA single ended analogue audio outputs. | Standard | Black | 45 000,00 kr st |
| | | Standard | Silver | 45 000,00 kr st |
| | | Jet | Black | 50 000,00 kr st |
| | | Billiant | Silver | 50 000,00 kr st |

## Chord Electronics - Integrerade Förstärkare

| | | | | Rek pris Inkl moms |
|---|---|---|---|---|
| CPM 2650 | Integrated Amplifier. 2x120 W RMS into 8Ω. 2x170 W RMS into 4Ω. 2x220 W RMS into 4Ω Burst Four pairs of SE RCA-Phono Inputs. Two pairs of Balanced XLR. Remote & manual control with display system. Two tape loops, One pair of single ended RCA-phono outputs | | Integra | 55 000,00 kr st |
| | | Nikel | Integra | 57 500,00 kr st |
| CPM 2800 *NEW!* | Integrated Amplifier. 3 pairs of single ended RCA-Phono inputs, 2 pairs of XLR Balanced or 2 pairs of RCA phono single ended inputs, Coax BNC, Optical TOSLink, USB digital inputs, Wireless Bluetooth A2DP input, AV Bypass via RCA-phono input. Remote and manual control with display system. 2x120 W RMS into 8Ω, 2x170W RMS into 4Ω, 2x220W RMS burst into 4Ω. | | Integra | 80 000,00 kr st |
| | | Nikel | Integra | 85 000,00 kr st |
| CPM 3350 | Integrated Amplifier. 2x220 W RMS into 8Ω. 2x360 W RMS into 4Ω. 2x520 W RMS into 4Ω Burst Four pairs of SE RCA-Phono Inputs. Two pairs of Balanced XLR. Remote & manual control with display system. Adjustable gain control for each input. Two tape loops, One pair of single ended RCA-phono outputs. Balanced line construction. | | Integra | 100 000,00 kr st |
| | | Nikel | Integra | 105 000,00 kr st |
| Cyan Click - HP *NEW!* | Integrated amplifier. 2x90 W RMS into 8Ω, 2x120 W RMS into 4Ω. One pair of single ended RCA-Phono and one pair of XLR Balanced analogue inputs. Coax BNC, Optical TOSLink, USB Digital inputs, Wireless Bluetooth A2DP inputs. Remote manual control with display system. | Standard | Black | 55 000,00 kr st |
| | | Standard | Silver | 55 000,00 kr st |
| Cyan Click *NEW!* | Integrated amplifier. 2x50W RMS into 8Ω, 2x65W RMS into 4Ω. One pair of single ended RCA-Phono and one pair of XLR Balanced analogue inputs. Coax BNC, Optical TOSLink, USB Digital inputs, Wireless Bluetooth A2DP inputs. Remote manual control with display system. | Standard | Black | 50 000,00 kr st |
| | | Standard | Silver | 50 000,00 kr st |

## Chord Electronics - Fjärrkontroll

| | | | | Rek pris Inkl moms |
|---|---|---|---|---|
| Remote Control | System Remote Control. A remote control that is compatible with all Chord preamplifiers (including earlier models), CD players and AV Processors. Will also control TV and DVD/VCR functions using a Direct code setup. Direct IR to IR learning is also available for products where direct setup is not available. Control buttons have a luminescent coating. Silver finish aluminium lower casing and surround | Standard | Black | 5 750,00 kr st |
| | | Standard | Silver | 5 750,00 kr st |

digitalbild & ljud
Tellusvägen 9
191 47 Sollentuna

Tfn: 08-777 20 01

E-post: info@digitalbild.se
Hemsida: www.digitalbild.se
Hems.:www.chordelectronics.co.uk

# Chord Electronincs
# Prislista 2010-02-25
## Denna Prislista ersätter alla tidigare prislistor

digitalbild & ljud

CHORD

## Chord Electronics - Förförstärkare

| | | | | | Rek pris Inkl moms |
|---|---|---|---|---|---|
| CPA 2500 | Analogue Pre-Amplifier. Six pairs of SE RCA-phono inputs. Remote & manual control with display system | | | Integra | 43 000,00 kr st |
| | One pair of XLR balanced outputs (independently switchable). One pair of SE RCA-phono outputs. | | Nikel | Integra | 47 000,00 kr st |
| | Dual bus system. | | | | |
| Prima | Choral Series Pre-Amplifier. 1 pair of balanced XLR inputs. 4 pairs of SE RCA inputs. | Standard | Black | | 45 000,00 kr st |
| | 1 pair of balanced XLR outputs. 1 pair of tape output sockets. 6 levels of gain on all channels. | Standard | Silver | | 45 000,00 kr st |
| | 50Vac through to 260Vac Mains Power. Auto line adjust. | Jet | Black | | 50 000,00 kr st |
| | Supplied with Chord Touch Screen Learning Remote as standard. | Billiant | Silver | | 50 000,00 kr st |
| CPA 3000 | Analogue Pre-Amplifier. Four pairs of fully balanced XLR inputs. Four pairs of SE RCA inputs. | | | Integra | 72 500,00 kr st |
| | Balanced line construction, Remote & manual control with display system. AV Bypass function. | | Nikel | Integra | 77 500,00 kr st |
| | Highly accurate VU signal detect meters (switchable). Latest Ultra High Frequency power supply technology | | | | |
| Indigo | Advanced Preamplifier with D/A Converter and iPod dock plus A2DP bluetooth support. | | | Integra | 115 000,00 kr st |
| *NEW!* | SPDIF, AES, Optical, USB and iPod digital inputs. Balanced/RCA analogue input and analogue | | Nikel | Integra | 120 000,00 kr st |
| | iPod support via dock. iPod wireless radio link and Bluetooth A2DP wirelss radio link. | | | | |
| | Low distortion headphone circuit. Line level and volume controlled balanced / RCA stereo outputs | | | | |
| | Supplied with Chord Digital iPod Classic, Ultra Portable dock and Bluetooth Dongle | | | | |
| CPA 4000 | Analogue Pre-Amplifier. Dual Headphone stage. Balanced line construction. | | | Integra | 127 500,00 kr st |
| | Remote & manual control with display system. Two XLR balanced outputs (independently switchable). | | Nikel | Integra | 130 000,00 kr st |
| | One pair of SE RCA-phono outputs. Adjustable gain control for each input. 0.1% Precision handmatched | | | | |
| | components. High frequency switching regulation stages. | | | | |
| CPA 5000 | Analogue Pre-Amplifier. Four pairs of fully balanced XLR style inputs. Four pairs of SE RCA inputs. | | | Integra | 145 000,00 kr st |
| | Dual Headphone stage. Balanced line construction. Remote & manual control with display system. | | Nikel | Integra | 147 500,00 kr st |
| | AV Bypass function. Adjustable gain control for each input. Highly accurate VU signal detect meters | | | | |
| | (switchable). Latest Ultra High Frequency power supply technology. Solid milled aluminium shielding | | | | |

## Chord Electronics - Stereoslutsteg

| | | | | | Rek pris Inkl moms |
|---|---|---|---|---|---|
| Mezzo 50 | Choral Series Power Amplifier. 2x50W RMS into 8Ω Stereo. 100W RMS into 8Ω Bridged Mono. | Standard | Black | | 30 000,00 kr st |
| | Switchable Phase option on each channel. 4x Gold WBT binding posts. 1 pair of balanced XLR inputs | Standard | Silver | | 30 000,00 kr st |
| | and 1 pair of SE RCA phono sockets. 30dB gain. Unconditional stability 50Vac through to 260Vac | Jet | Black | | 34 000,00 kr st |
| | mains power Auto line adjust | Billiant | Silver | | 34 000,00 kr st |
| SPM 650 | Stereo Power Amplifier. 2x130W RMS into 8Ω. Two SE RCA inputs & two XLR balanced inputs. | | | Integra | 45 000,00 kr st |
| | 30dB gain & 100KOhm input impedance (balanced). Four gold plated 4mm output connections. | | Nikel | Integra | 49 000,00 kr st |
| SPM 1050 | Stereo Power Amplifier. 2x200W RMS into 8Ω. Two SE RCA inputs & two gold plated XLR bal inputs. | | | Integra | 60 000,00 kr st |
| | 30dB gain & 100KOhm input impedance (balanced). Eight gold plated 4mm output connections. | | Nikel | Integra | 63 000,00 kr st |
| Mezzo 140 | Choral Series Stereo Power Amplifier. 2x140W RMS into 8Ω. 240W RMS into 8Ω bridged mono. | Standard | Black | | 50 000,00 kr st |
| | Switchable Phase option on each channel. 4x Gold WBT binding posts. 1 pair of balanced XLR inputs | Standard | Silver | | 50 000,00 kr st |
| | and 1 pair of SE RCA phono sockets. 30dB gain. Unconditional stability. 50Vac through to 260Vac | Jet | Black | | 60 000,00 kr st |
| | mains power and auto line adjust | Billiant | Silver | | 60 000,00 kr st |
| SPM 1200E | Stereo Power Amplifier. 2x350W RMS into 8Ω. Two SE RCA inputs & two XLR balanced inputs. | | | Integra | 100 000,00 kr st |
| | 30dB gain & 100KOhm input impedance (balanced). WBT gold plated output connections. | | Nikel | Integra | 102 500,00 kr st |
| SPM 4000 | Stereo Power Amplifier. 2x480W RMS 8Ω. 2x750W RMS into 4Ω. | | | Integra | 150 000,00 kr st |
| | Two SE RCA inputs & two XLR balanced inputs. 30dB gain & 100KOhm input impedance. | | Nikel | Integra | 155 000,00 kr st |
| | Eight gold plated WBT output connections. Supplied with 8 leg Integra as standard | | | | |

## Chord Electronics - Monoslutsteg

| | | | | Rek pris Inkl moms |
|---|---|---|---|---|
| SPM 1400E | Mono Power Amplifier. 480W RMS into 8Ω. Two RCA SE inputs & output connections. Two XLR | | Integra | 110 000,00 kr st |
| | balanced inputs. 30dB gain & 100KOhm input impedance (balanced), WBT gold plated terminals. | Nikel | Integra | 112 500,00 kr st |
| SPM 6000 | Reference Series Mono Power Amplifier. 750W RMS into 8Ω. 1500W RMS into 4Ω. 3000W RMS into 2Ω. | | Integra | 170 000,00 kr st |
| | Two SE RCA inputs & two XLR balanced inputs. Four gold plated WBT output connections. | Nikel | Integra | 175 000,00 kr st |
| | Supplied with 12-leg Integra as standard | | | |
| SPM 14000 | Reference Series Mono Power Amplifier. 1000W RMS into 8Ω. 2000W RMS into 4Ω. 4000W RMS into 2Ω. | | Integra | 300 000,00 kr st |
| | Two SE RCA inputs & two XLR balanced inputs. Four gold plated WBT output connections. | Nikel | Integra | 310 000,00 kr st |
| | Supplied with 24-leg Integra as standard. | | | |

## Chord Electronics - Multikanalslutsteg

| | | | | Rek pris Inkl moms |
|---|---|---|---|---|
| SPM 2400 | Five Channel Power Amplifier. 5x135 W RMS into 8Ω. | | Integra | 83 000,00 kr st |
| | Five SE RCA inputs & Five gold plated XLR balanced inputs, 30dB gain & 100KOhm input impedance. | Nikel | Integra | 85 000,00 kr st |
| SPM 3005 | Five Channel Power Amplifier. 1x350W RMS into 8Ω plus 4x300W RMS into 8Ω. | | Integra | 180 000,00 kr st |
| | Five SE RCA inputs & Five gold plated XLR balanced inputs. 30dB gain & 100KOhm input impedance. | Nikel | Integra | 185 000,00 kr st |

digitalbild & ljud
Tellusvägen 9
191 47 Sollentuna

Tfn: 08-777 20 01

E-post: info@digitalbild.se
Hemsida: www.digitalbild.se
Hems.:www.chordelectronics.co.uk

# Chord Electronincs
# Prislista 2010-02-25
## Denna Prislista ersätter alla tidigare prislistor

digitalbild & ljud

CHORD

## Chord Electronics - Chordette - familjen. NYHET!

| | | | | | Rek pris Inkl moms | |
|---|---|---|---|---|---|---|
| Chordette GEM APT-X<br>***NEW!*** | USB and Bluetooth D/A Converter. 1 B-type USB input and 1 pair of line level phono outputs. Selector switch for Bluetooth or USB operation.<br>The Chordette GEM, A2DP Bluetooth unit has now been enhanced with APT-X encryption. APT-X is an enhancement over A2DP and gives significantly improved sonic performance<br>Silver och Svart är lagervara. Röd, Blå, Grön, Gul och Violett är beställningsvara. | Standard<br>Standard | Black<br>Silver | 6 000,00 kr<br>6 000,00 kr | st<br>st |
| Chordette Dual<br>***NEW!*** | Phonostage MC. This is a phonostage with many of the features of the Chord Symphonic, i.e. impedance adjustments and gain adjust plus the carefully designed rumble filter, however, it will have a USB output and an also an optical output for communicating with the Connec. | Standard<br>Standard | Black<br>Silver | *Kommer snart*<br>*Kommer snart* | st<br>st |
| Chordette Prime<br>***NEW!*** | High quality pre amplifier. Prime features four pairs of RCA inputs, one pair RCA outputs, plus additional USB input and output for total flexibility. It has full display and remote control capability. Finally it has a mini control BUS to control other Chordette products. | Standard<br>Standard | Black<br>Silver | *Kommer snart*<br>*Kommer snart* | st<br>st |
| Chordette Paer<br>***NEW!*** | Micro Mono Power Amplifier. An unusual name for an unusual product, this micro amplifier is based upon all our knowledge gained so far on amplifiers. The unit will be the same width and height as the Chordette range but will be twice the depth and will utilise plenum chamber cooling first seen in the Cyan Click, allowing for 50 Watts from a very compact unit. These units will complete the Chordette Range and should satisfy the most discerning of customers. | Standard<br>Standard | Black<br>Silver | *Kommer snart*<br>*Kommer snart* | st<br>st |
| Chordette Toucan<br>***NEW!*** | Headphone amplifier with dual output. Headphone usage has been increasing rapidly over a number of years. Especially high quality headphones are selling extremely well and as a result sales of High-End headphone amplifiers has increased as well. We can do an excellent good job of this and the Toucan is setting a new standard. The name of our headphone amplifier is like the bird, Toucan, but really it is a play on words as two can listen at the same time. The Toucan has XLR and RCA inputs and an additional USB input and onboard D/C Conversion circuitry and most importantly we have included some additional circuitry with filtering, sound delay and cross fade networks.<br>What this does is provides a more coherent sound stage so that listening via headphones with this system is not tiring and any singer is projected to a forward listening position rather than apparently being inside your head. | Standard<br>Standard | Black<br>Silver | 10 000,00 kr<br>10 000,00 kr | st<br>st |
| Chordette Connec<br>***NEW!*** | High Performance Micro PC. Simply outstanding! All Chordette products have USB, either input or output or will have both. All USBs need a hub computer to transfer data or music files to and from. This Chordette sized PC has been in development for some time and we are working with several partners around the world to bring this together. It has six USB ports; additionally it has Ethernet and a High resolution HDMI port as well. Simply plug in a TV, PC, projector or monitor for 1080p video. Control will be via a RF keypad or Apple tablet or even your phone and you can use all the usual download services that many of you will have become familiar with. Although each Connec can support only one high resolution output, because of its micro size and relatively low cost, a one per display approach can be adopted and its file sharing capability will allow stored and archived material to be shared across the net on any number of units. Therefore systems as large as many thousands could be networked. This is an extremely advanced design. This completes the control of the Chordette range giving us capabilities that no other company has.<br>We hope you are as excited about this as we are. We hope to launch this product by June 2010. | Standard<br>Standard | Black<br>Silver | *Kommer snart*<br>*Kommer snart* | st<br>st |
| Chordette Bau<br>***NEW!*** | Stand System. Essentially this is a mini, modulised version of the Aspire and will accommodate any number of Chordette units. This will be available later this year. | Standard<br>Standard | Black<br>Silver | *Kommer snart*<br>*Kommer snart* | st<br>st |

## Chord Electronics - MediaServer

| | | | | Rek pris Inkl moms | |
|---|---|---|---|---|---|
| Media Engine | Media Server with 6 terabytes of protected storage via 6 x 1TB hard drives.<br>Analogue out via XLR and RCAs. Supports disc formats DVD ROM and Video (single and dual layer), Blue-Ray, DVD-R, DVD-RW,CD-R,CD-RW, CD-DA (Audio CD), CD-ROM (mode 1 and 2), CD ROM XA, Video CD, Photo CD,CD EXTRA and CD-text. Video formats supported: MPEG-2, Divx™, H.264 (MPEG-4 Part 10), VC-1. Digital sound formats supported: DVD soundtracks whether they are mastered in Dolby® Digital (all formats excluding EX) or mastered in DTS®, DTS-ES™.<br>Screen resolutions up to 2048 x 1536 supported. Video outputs via DVI-I x 2, Component, Composite and SVHS. Audio outputs via S/PDIF via single RCA. | <br>Nikel | Integra<br>Integra | 235 000,00 kr<br>240 000,00 kr | st<br>st |

digitalbild & ljud
Tellusvägen 9
191 47 Sollentuna

Tfn: 08-777 20 01

E-post: info@digitalbild.se
Hemsida: www.digitalbild.se
Hems.:www.chordelectronics.co.uk

# Chord Electronincs
# Prislista 2010-02-25
## Denna Prislista ersätter alla tidigare prislistor

digitalbild & ljud

CHORD

## Chord Electronics - Möbel, Choral Stand - NYHET!

| | | | | Rek pris Inkl moms |
|---|---|---|---|---|
| 1 Tier | Anodised Aluminium stand for a single Choral unit. Designed to sit on the Indigo. | Standard | Black | 11 000,00 kr st |
| | | Standard | Silver | 11 000,00 kr st |

## Chord Electronics - Möbel, Choral Rack Systems Lightweight Base

| | | | | Rek pris Inkl moms |
|---|---|---|---|---|
| 1 Tier | Anodised aluminium rack with a lightweight base, designed to be free standing. | Standard | Black | 6 500,00 kr st |
| | | Standard | Silver | 6 500,00 kr st |
| | | Jet | Black | 16 500,00 kr st |
| | | Billiant | Silver | 16 500,00 kr st |
| 2 Tier | Anodised aluminium rack with a lightweight base, designed to be free standing. | Standard | Black | 8 000,00 kr st |
| | | Standard | Silver | 8 000,00 kr st |
| | | Jet | Black | 18 000,00 kr st |
| | | Billiant | Silver | 18 000,00 kr st |

## Chord Electronics - Möbel, Choral Rack Systems

| | | | | Rek pris Inkl moms |
|---|---|---|---|---|
| 2 Tier | Anodised aluminium rack designed to take 2 pieces from the Choral series. The racks are designed to be free standing or can be stacked on top of a standard sized unit with 4 leg-Integra | Standard | Black | 13 500,00 kr st |
| | | Standard | Silver | 13 500,00 kr st |
| | | Jet | Black | 22 500,00 kr st |
| | | Billiant | Silver | 22 500,00 kr st |
| 3 Tier | Anodised aluminium rack designed to take 2 pieces from the Choral series. The racks are designed to be free standing or can be stacked on top of a standard sized unit with 4 leg-Integra | Standard | Black | 15 000,00 kr st |
| | | Standard | Silver | 15 000,00 kr st |
| | | Jet | Black | 25 500,00 kr st |
| | | Billiant | Silver | 25 500,00 kr st |
| 4 Tier | Anodised aluminium rack designed to take 2 pieces from the Choral series. The racks are designed to be free standing or can be stacked on top of a standard sized unit with 4 leg-Integra | Standard | Black | 16 000,00 kr st |
| | | Standard | Silver | 16 000,00 kr st |
| | | Jet | Black | 28 500,00 kr st |
| | | Billiant | Silver | 28 500,00 kr st |
| 5 Tier | Anodised aluminium rack designed to take 2 pieces from the Choral series. The racks are designed to be free standing or can be stacked on top of a standard sized unit with 4 leg-Integra | Standard | Black | 17 000,00 kr st |
| | | Standard | Silver | 17 000,00 kr st |
| | | Jet | Black | 31 500,00 kr st |
| | | Billiant | Silver | 31 500,00 kr |

## Chord Electronics - Möbel, Aspire Floor Stand

| | | | | Rek pris Inkl moms |
|---|---|---|---|---|
| 5 High | Free standing Anodised aluminium rack designed to take 5 pieces from the Choral series. | Standard | Black | 30 000,00 kr st |
| | | Standard | Silver | 30 000,00 kr st |
| | | Jet | Black | 55 000,00 kr st |
| | | Billiant | Silver | 55 000,00 kr st |
| 6 High | Free standing Anodised aluminium rack designed to take 6 pieces from the Choral series. | Standard | Black | 39 000,00 kr st |
| | | Standard | Silver | 39 000,00 kr st |
| | | Jet | Black | 70 000,00 kr st |
| | | Billiant | Silver | 70 000,00 kr st |

digitalbild & ljud
Tellusvägen 9
191 47 Sollentuna

Tfn: 08-777 20 01

E-post: info@digitalbild.se
Hemsida: www.digitalbild.se
Hems.:www.chordelectronics.co.uk